



ActivePure® TECHNOLOGY

ActivePure® Technology Animation Video



Walter T. Mudu
wt@mme.works
718 415-4452

- 8 -

CONFIDENTIAL & PROPRIETARY INFORMATION • NOT FOR REDISTRIBUTION

Weldon Powe
weldonpowe@icloud
347-546-1698

ELIMINATED OVER 99.9% OF AIRBORNE SARS-COV-2 VIRUS IN JUST 3 MINUTES


- Tested at UTMB CDC/Military Lab
- Tested per FDA

“These results demonstrate the effectiveness of the technology”

– Dr. William S. Lawrence, PhD
Director of the Aerobiology Services Division
UTMB’s Galveston National Laboratory



Test Results for ActivePure®
SARS-CoV-2 (COVID 19) in the Air



Outside of control group - over 99.9% reduction of SARS-CoV-2.




ELIMINATED OVER 99.9% OF SURFACE SARS-COV-2 VIRUS



Preface

- Tested at MRIGlobal
- Tested per FDA guidelines and protocols


Test Results for ActivePure® SARS-CoV-2 on Surfaces




Outside of control group - over 99.9% reduction of SARS-CoV-2.



Reduction of Airborne Contaminants MS2 bacteriophage RNA Virus




Reduction of Airborne Contaminants Phi-X174 bacteriophage DNA Virus




FDA MEDICAL DEVICE TESTING **AGAINST GRAM-POSITIVE AND GRAM-NEGATIVE BACTERIA.**

Reduction of Airborne Contaminants
Staphylococcus epidermidis –
Gram-positive Bacteria




Reduction of Airborne Contaminants
Erwinia herbicola – Gram-negative Bacteria




FDA MEDICAL DEVICE TESTING **AGAINST FUNGAL MOLD
AND BACTERIAL MOLD.**

Reduction of Airborne Contaminants
Aspergillus niger (Fungal Mold)



Reduction of Airborne Contaminants
Bacillus globigii (Bacterial Mold)



Walter T. Mudu
wt@mme.works
718 415-4452

Weldon Powe
weldonpowe@icloud
347-546-1698

ACTIVEPURE® ALSO PROVEN TO DESTROY **OVER 99.9% OF:**

- Avian Flu
- Candida Albicans
- E. Coli
- Hepatitis A
- Legionella Pneumophila
- Listeria Monocytogenes
- MRSA
- Murine Norovirus
- Pseudomonas spp.
- SARS-Cov-2 Coronavirus
- Smoke
- Stachybotrys Chartarum
- Staphylococcus Aureus
- Streptococcus spp.
- Swine Flu

Field results may vary based on environmental conditions. These results have not been certified by the FDA.




What measures are we taking today to help combat the spread of virus and pathogens in the workplace?


Working from Home



Social Distancing



Masks



Gloves



Sanitizer



Disinfectant Sprays



Passive Air Systems



Vaccines



While this is helpful, is it enough?

The Missing Link? **ActivePure®!**

Walter T. Mudu
wt@mme.works
718 415-4452

Weldon Powe
weldonpowe@icloud
347-546-1698